

WEST Search History for Application 09295690

Creation Date: 2009010419:00

Query	DB	Op.	Plur.	Thes.	Date
version\$1 with upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
upgrad\$3 with (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(upgrad\$3 with (database or (data near base) or ("data base")))) and (version\$1 with upgrad\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3) and (updat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 and (updat\$3 with message)) and ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message)) and ((first or second) with version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
repeat same ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(repeat same ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message))) and (repeat\$ with generat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008

707/\$.ecls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(707/\$.ecls.) and (repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with generat\$3 with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(707/\$.ecls.) and (upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
version\$1 with upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
upgrad\$3 with (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(upgrad\$3 with (database or (data near base) or ("data base")))) and (version\$1 with upgrad\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3) and (updat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message)) and ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message)) and ((first or second) with version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
repeat same ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(repeat same ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with ((generat\$3 or	PGPB, USPT, USOC, EPAB,	OR			09-23-2008

build\$3 or construct\$3) with message))	JPAB, DWPI, TDBD				
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message))) and (repeat\$ with generat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
707/\$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(707/\$.ccls.) and (repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with generat\$3 with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(707/\$.ccls.) and (upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
version\$1 same upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3) and writ\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$) and schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ and schema) and (writ\$ near\$ version near\$ schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ and schema) and (writ\$ near\$ version near\$ schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ and schema) and (writ\$ near\$ schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008

(version\$1 same upgrad\$3 and writ\$ and schema) and (writ\$ same schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ and schema and (writ\$ same schema))	USPT	OR	YES		09-23-2008
writ\$4 near5 version\$1 near5 schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
writ\$4 same version\$1 same schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(writ\$4 same version\$1 same schema) and (writ\$4 near version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(writ\$4 same version\$1 same schema) and (writ\$4 near3 version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(writ\$4 same version\$1 same schema and (writ\$4 near3 version))	USPT	OR	YES		09-23-2008
writ\$ near (updat\$3 adj version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(writ\$ near (updat\$3 adj version))	USPT	OR	YES		09-23-2008
711/142-143.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
711/155.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
((711/142-143.ccls.) or (711/155.ccls.)) and (writ\$ near (updat\$3 adj version))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
		OR	YES		09-23-2008

(((711/142-143.ccls.) or (711/155.ccls.)) and (writ\$4 same version\$1 same schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
upgrad\$3 same (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(upgrad\$3 same (database or (data near base) or ("data base"))) and ((711/142-143.ccls.) or (711/155.ccls.))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(upgrad\$3 same (database or (data near base) or ("data base"))) and (writ\$4 same version\$1 same schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
version\$1 with upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
upgrad\$3 with (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 with (database or (data near base) or ("data base"))) and (version\$1 with upgrad\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3) and (updat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message)) and ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message)) and ((first or second) with version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
repeat same ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009

	TDBD				
(repeat same ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message))) and (repeat\$ with generat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
707/\$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(707/\$.ccls.) and (repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with generat\$3 with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(707/\$.ccls.) and (upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
version\$1 same upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3) and writ\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 and writ\$) and schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 and writ\$ and schema) and (writ\$ near3 version near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 and writ\$ and schema) and (writ\$ near5 version near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
		OR			01-04-2009

(version\$1 same upgrad\$3 and writ\$ and schema) and (writ\$ near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(version\$1 same upgrad\$3 and writ\$ and schema) and (writ\$ same schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 and writ\$ and schema and (writ\$ same schema))	USPT	OR			01-04-2009
writ\$4 near5 version\$1 near5 schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
writ\$4 same version\$1 same schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(writ\$4 same version\$1 same schema) and (writ\$4 near version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(writ\$4 same version\$1 same schema) and (writ\$4 near3 version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(writ\$4 same version\$1 same schema and (writ\$4 near3 version))	USPT	OR			01-04-2009
writ\$ near (updat\$3 adj version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(writ\$ near (updat\$3 adj version))	USPT	OR			01-04-2009
(711/142 711/143).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(711/155).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
		OR			01-04-2009

(((711/142 I711/143).ccls.) or ((711/155).ccls.)) and (writ\$ near (updat\$3 adj version))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(((711/142 I711/143).ccls.) or ((711/155).ccls.)) and (writ\$4 same version\$1 same schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
upgrad\$3 same (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 same (database or (data near base) or ("data base"))) and (((711/142 I711/143).ccls.) or ((711/155).ccls.))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 same (database or (data near base) or ("data base"))) and (writ\$4 same version\$1 same schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009